

FIG. 1




FIG. 2




FIG 3

|  | erjogući. X          |
|--|----------------------|
|  | array <b>SCOUT</b> ™ |
| in the second of | Login                |
| lion   |                      |
| St. Carlos Poster Cold &   | Password             |
| ***  |                      |
| Security and the security of t | Account              |
| lion   |                      |
| 50 - 70 - CL / 2-10 - CL / 2-1 | OK Cancel            |

FIG. 4




FIG. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13

| Large Street and the | <u> </u>                      | <u> </u>                 | Additional and the second and the se |
|---|-------------------------------|--------------------------|--|
| Gene  | Dascrip                       | tion                     | Selected in  |
| W72759  | zd71h04 s1 Soares fetal heart |                          |  |
| R40626  | yf72g12 s1 Homo saplens cDi   | NA clone 28051 3'        | and the same of th |
| AADD1918:   |                               | spieen INFLS SI Homo 🌣 🌢 | Salect (Ctri+Enter)  |
| R43728  | yg20c12 s1 Homo sapiens cD    |                          | Reset selection (Ctrl+R)   |
| AAD41370  | zf09a02 s1 Soares fetal heart | NbHH1 9W Homo saple 🔸    | Show profile(s) (Cirl+P)   |
| T05837.**   | ye42c02.s1 Homo saplens cD    |                          |  |
| H27557  | yistg03.st Homo saplens cD    |                          | : : : :   -   -   -   -   -   -   -  |
| AA024572  | ze76h08 s1 Soares fetal heart | NbHH19W Homo saple 🍫     |  |
|   |                               |                          |  |

Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18

## Scale Tab




Fig. 19

## Projects

- 💁 🜃 Bertrand
- 💁 🖼 fibroblast data
- 🖭 🖼 Fibroblast Project
- 💇 🖼 Illico Presto

Fig. 20




Fig. 21




Fig. 22

Experiment group name dialog box.




Fig. 23

Choose experiment class dialog box.




Fig. 24

Add/Remove dialog box for adding and removing experiments from experiment groups.




Fig. 25




Fig. 26

The annotation editor.




Fig. 27

The permissions dialog box for project "Angela".




Fig. 28

Select parameters "Data Scaling" dialog box.



Fig. 29

The Choose experiments dialog box.




Figure 30

An example difference plot.




Fig. 31




Fig. 32




Fig. 33

Select Profile Patterns dialog box.




Figure 34

Gene profiled in Fig. 4.5

Distance Plot created with the adjust shift (avg=0) scaling procedure and the patterns displayed in Fig. 4.3.




Figure 35

Gene Profile of gene W47101 plotted at (12,26) in the above Distance Plot (Figure ).




Figure 36

The "Select Experiments to plot" dialog box for the variance histogram.




Fig. 37

The Variance Histogram with two bars selected.

| 🗳 culta Contelenne, alita | X  |
|---------------------------|--|
| Experiment                | Target Value   |
| experiment 0 min          | 1  |
| experiment 15 min         | 1  |
| experiment 30 min         | 1  |
| experiment 1 h            | , 1  |
| experiment 2h             | 1  |
| experiment 4h             | 1  |
| experiment 6h             | 1  |
| experiment 8h             | 1  |
| experiment/12h            | 10.0   |
| experiment 16h            | 1  |
| experiment 20h            | the state of the s |
| experiment 24h            | 1  |
| Oc                        | Cancel   |

Fig. 38

The "Enter Correlation Values" dialog box.




Fig. 39

Correlation histogram parameters dialog box.




Fig. 40

A correlation histogram created using the "no scaling" and the "by Shape (Pearson)" parameters.

100 PRINTE - 5, 884, 1 14




Fig. 41

The "Classify Experiments" dialog box.




Figure 42

The Classification histogram created using the "adjust scales" scaling procedure and the data displayed in the "Classify Experiments" dialog box above (Figure ).




Fig. 43

Select reference state dialog box.




Figure 44

The Cluster Tree analysis view.




Fig. 45

The SRS Interface in Simple Mode.




Fig. 46

The software SRS Interface in Detail Mode displaying a completed query and a database entry.




Fig. 47

| No file selected<br>sting class Define a new class experiment |
|---|
| sting class Define a new class experiment                     |
|   |
| ist of the existing experiment classes                        |
|   |
| data, average   |
| data  |
| estData   |
| lago MTP  |
| ago   |
| Experiment name   |
|   |
| Select a File Import Cancel                                   |

Fig. 48




Figure 49

Change configuration dialog box.




Fig. 50

Remove experiment class dialog box.




Fig. 51

Remove experiments dialog box.




Fig. 52

A point (gene) plotted in three dimensions.




Fig. 53

Three experiments plotted in 3 dimensions.







Fig. 54


Squash the cigar along its side to best preserve its shape.







MIS. 50



1-6.50







FIG. 59











116° 63

15.68











F16.60







E SIZ

F16.72

FIG. 13



たらって



です。公

F16,76

